

LED Pc And Ai Series


Picture	Bulb Type	Power	Dim/None Dim	Voltage	Lumen	CCT	CRI	PF	Beam Angle	Driver	Lamp base
	EAS-G-05	5W	None Dim	AC175-265V	400LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-06	6W	None Dim	AC175-265V	480LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-08	8W	None Dim	AC175-265V	650LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-10	10W	None Dim	AC175-265V	800LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-12	12W	None Dim	AC175-265V	1050LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-14	14W	None Dim	AC175-265V	1320LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-15	15W	None Dim	AC175-265V	1500LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-18	18W	None Dim	AC175-265V	1800LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-10D	10W	Dim	AC175-265V	800LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-12D	12W	Dim	AC175-265V	1050LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-14D	14W	Dim	AC175-265V	1320LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-G-15D	15W	Dim	AC175-265V	1500LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
EAS-G-18D	18W	Dim	AC175-265V	1800LM	2700/4000K/6500K	>80	0.5	200°	IC	E27	

Remark:

Lifetime: 15000 hours;

IP Grade: IP 20;

Warranty: 3years;



Picture	Bulb Type	Power	Dim/None Dim	Voltage	Lumen	CCT	CRI	PF	Beam Angle	Driver	Lamp base
	EAS-C-02	2W	None Dim	AC175-265V	160LM	2700/4000K/6500K	>80	0.4	200°	IC	E14/E27
	EAS-C-04	4W	None Dim	AC175-265V	320LM	2700/4000K/6500K	>80	0.4	200°	IC	E14/E27
	EAS-C-06	6W	None Dim	AC175-265V	480LM	2700/4000K/6500K	>80	0.5	200°	IC	E14/E27
	EAS-C-04D	4W	Dim	AC175-265V	320LM	2700/4000K/6500K	>80	0.4	200°	IC	E14/E27
	EAS-C-06D	6W	Dim	AC175-265V	480LM	2700/4000K/6500K	>80	0.5	200°	IC	E14/E27

Remark:

Lifetime: 15000 hours;

IP Grade: IP 20;

Warranty: 3years;

Picture	Bulb Type	Power	Dim/None Dim	Voltage	Lumen	CCT	CRI	PF	Beam Angle	Driver	Lamp base
	EAS-GS-02	2W	None Dim	AC175-265V	160LM	2700/4000K/6500K	>80	0.4	200°	IC	E27
	EAS-GS-04	4W	None Dim	AC175-265V	320LM	2700/4000K/6500K	>80	0.4	200°	IC	E27
	EAS-GS-06	6W	None Dim	AC175-265V	480LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS-P-02	2W	None Dim	AC175-265V	160LM	2700/4000K/6500K	>80	0.3	200°	IC	E14
	EAS-P-04	4W	None Dim	AC175-265V	320LM	2700/4000K/6500K	>80	0.4	200°	IC	E14
	EAS-P-06	6W	None Dim	AC175-265V	480LM	2700/4000K/6500K	>80	0.5	200°	IC	E14
	EAS G95-06	6W	None Dim	AC175-265V	480LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS G95-10	10W	None Dim	AC175-265V	800LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS G125-10	10W	None Dim	AC175-265V	800LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS G125-12	12W	None Dim	AC175-265V	1050LM	2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS G125-15	15W	None Dim	AC175-265V		2700/4000K/6500K	>80	0.5	200°	IC	E27
	EAS G125-18	18W	None Dim	AC175-265V		2700/4000K/6500K	>80	0.5	200°	IC	E27

Remark:

Lifetime: 15000 hours;

IP Grade: IP 20;

Warranty: 3years;